



# STERI-PEROX<sup>®</sup> 3%

## Safety Data Sheet

VELTEK ASSOCIATES, INC.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Date of issue: 12/15/2011 Revision date: 02/21/2017 Supersedes: 04/18/2016 Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : STERI-PEROX<sup>®</sup> 3%  
SDS code : SDS SP-98-01-3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Veltek Associates, Inc. 15 Lee Blvd Malvern, PA 19355-1234 USA T +1 610-644-8335 - F +1 610-644-8336 vai@sterile.com	In Canada Distributed by: CCR 200 Terence Matthews Kanata, ONT K2M 2C6 Telephone: 613-591-0044
--	--

#### 1.4. Emergency telephone number

Emergency number : CARECHEM 24 call: 1-866-928-0789

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Eye Irrit. 2A H319

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning  
Hazard statements (GHS-US) : H319 - Causes serious eye irritation  
Precautionary statements (GHS-US) : P264 - Wash face, hands thoroughly after handling  
P280 - Wear eye protection, protective gloves  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 - If eye irritation persists: Get medical advice/attention

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable  
Full text of H-phrases: see section 16

#### 3.2. Mixture

# STERI-PEROX<sup>®</sup> 3%

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
Hydrogen peroxide	(CAS No) 7722-84-1	2.2 - 6.9	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 STOT SE 3, H335

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye contact, immediately rinse with clean water for 10-15 minutes. Get immediate medical advice/attention.
- First-aid measures after ingestion : Wash out mouth with water and give 100-200 ml of water to drink. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : Causes eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Stable under normal conditions.

#### 5.3. Advice for firefighters

- Protection during firefighting : As in any fire, wear self-contained breathing apparatus and full protective gear.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Ensure adequate ventilation.

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# STERI-PEROX<sup>®</sup> 3%

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in original container. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids. Reducing agents.
Incompatible materials	: Sources of ignition.
Storage temperature	: 0 - 49 °C

### 7.3. Specific end use(s)

Cleaning agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Hydrogen peroxide (7722-84-1)		
USA ACGIH	ACGIH TWA (ppm)	1 ppm
USA ACGIH	Remark (ACGIH)	Eye, URT, & skin irr
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection.
Other information	: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Color	: Colorless.
Odor	: odorless.
Odor threshold	: No data available
pH	: 4.5 - 6.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: 0 °C (32 °F)
Freezing point	: No data available
Boiling point	: 100 °C (212 °F)
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1 - 1.02
Solubility	: Miscible.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Slightly oxidizing.
Explosive limits	: No data available

# STERI-PEROX<sup>®</sup> 3%

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Will not occur.

### 10.4. Conditions to avoid

High temperature. Direct sunlight. Incompatible materials.

### 10.5. Incompatible materials

alkalis. Metals. Reducing agents.

### 10.6. Hazardous decomposition products

Oxygen.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Hydrogen peroxide (7722-84-1)

LD50 oral rat	376 mg/kg
LD50 dermal rat	4076 mg/kg
LC50 inhalation rat (mg/l)	2 mg/l/4h

Skin corrosion/irritation : Not classified  
pH: 4.5 - 6.5

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 4.5 - 6.5

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified  
Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

#### Hydrogen peroxide (7722-84-1)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified  
Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified  
Based on available data, the classification criteria are not met

Aspiration hazard : Not classified  
Not applicable

Symptoms/injuries after eye contact : Causes eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Hydrogen peroxide (7722-84-1)

LC50 fish	26.7 mg/l 96 h - Bluegill ( <i>Lepomis macrochirus</i> )
LC50 other aquatic organisms	155 mg/l 24 h - Chameleon goby ( <i>Tridentiger trigonocephalus</i> )
EC50 Daphnia	24 mg/l 48 h - Daphnia

# STERI-PEROX<sup>®</sup> 3%

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydrogen peroxide (7722-84-1)	
LC50 fish 2	89 mg/l 24 h - Jack Mackerel (Trachurus japonicus)
LC50 other aquatic organisms 2	22 mg/l 96 h - Rainbow trout, donaldson trout (Oncorhynchus mykiss)

### 12.2. Persistence and degradability

STERI-PEROX <sup>®</sup> 3%	
Persistence and degradability	Biodegradable.

### 12.3. Bioaccumulative potential

STERI-PEROX <sup>®</sup> 3%	
Bioaccumulative potential	No bioaccumulation.

### 12.4. Mobility in soil

STERI-PEROX <sup>®</sup> 3%	
Ecology - soil	No data available.

### 12.5. Other adverse effects

Other information : No other effects known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with DOT

Not regulated for transport

### Additional information

Other information : No supplementary information available.

### Transport by sea

Proper Shipping Name (IMDG) : Not applicable

### Air transport

Proper Shipping Name (IATA) : Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

STERI-PEROX <sup>®</sup> 3%	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

Hydrogen peroxide (7722-84-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

#### CANADA

STERI-PEROX <sup>®</sup> 3%	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Hydrogen peroxide (7722-84-1)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

### 15.2.2. National regulations

No additional information available

### 15.3. US State regulations

# STERI-PEROX<sup>®</sup> 3%

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Hydrogen peroxide (7722-84-1)

U.S. - New Jersey - Right to Know Hazardous Substance List


### SECTION 16: Other information

Data sources : US OSHA HazCom (GHS) 25 May 2012.  
Other information : None.

Full text of H-phrases: see section 16:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Ox. Liq. 1	Oxidizing liquids Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H271	May cause fire or explosion; strong oxidizer
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.  
NFPA fire hazard : 0 - Materials that will not burn.  
NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



### HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur  
Flammability : 0 Minimal Hazard  
Physical : 1 Slight Hazard

NCEC SDS US GHS (Hazcom 2012)

*Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.*